

Pacific Coast

Past and Future



White seabass weighing 78 pounds.

Calif. Record for recreational hook and line fishing.

Apr 4, 2002

Pacific RecFIN Sampling 1980-2002



Fisheries Technician collecting data

Basic MRFSS Methodology

[Marine Recreational Fisheries Statistics Survey]

• Effort:

Household Survey of Coastal Counties by RDD expanded against Census Data to estimate angler trips by mode of fishing

• Catch:

 Random Sample of anglers at sites randomly drawn weighted by expected fishing pressure by mode.


California Sampling Programs

MRFSS - 1979-1989, 1993-date

Ocean Salmon Sampling Program (OSP)

Party/Charterboat Survey [Not now Active]

Launch Ramp Survey [Not now Active]



Oregon Sampling Program


- ORBS Ocean Recreational Boat Survey
 [Mar Oct]
- MRFSS Shore, Inland Boats [Jan-Dec] and Ocean Boats [Oct Feb]

Washington Sampling Program

- OSP Ocean Sampling Program –
 All Ocean boats [Apr-Oct]
- MRFSS Puget Sound Sampling All Modes, all year.
- PSBS Puget Sound Boat Survey –
 Samples all boats during salmon season.



Estimated Total Harvest of Bocaccio in SoCal (1980 through Oct-2002)





Washington Sampling Changes [July 2003 forward]

- Continue OSP and Add Data Elements
 - Effort: Daily Vessel exit counts at all ports
 - Catch: Dockside sampling at all ports (53%)
- Incorporate MRFSS Sampling into State Puget Sound Boat Survey
 - Effort: Two-month Angler License Frame Sampling
 - Catch: Dockside random sampling
- Terminate MRFSS Methodology
- Shore sampling only at 3-year intervals.

Oregon Sampling Changes [July, 2003 forward]

- ORBS Expand ORBS [Ocean Boat Survey] to perhaps include minor ports/season of operation.
 - Add ride-a-longs on random boats
- Ocean Shore and Inland Shore and Boat Fisheries
 - Effort: Angler License Frame Sampling
 - Catch: Random sampling of sites weighted by expected fishing pressure
- Terminate MRFSS methodology

California Sampling Changes [July, 2003 forward]

- Effort Estimators:
 - Current:
 - Party/Charterboats
 - Party/Chaterboat Phone Survey [PCPS] Weekly vessel survey of Skippers (10%) to estimate effort.

- NEW:

- **Shore** Roving Angler Counts at Sites
- Private Boats
 - Public Sites: Launch Ramp Counts and activity ratios
 - Private Sites: Angler Panel Profiles & on-site sampling

California Sampling Changes [July, 2003 forward]

- Catch Estimators:
 - Party/Charterboat Random Sampler Ride-a-longs at all sites weighted by expected pressure
 - Private Boats
 - <u>Public Sites</u>: Random sample of all boats at sites to profile catch and angler data + add 100% salmon trip sample at that site with short data form
 - Private Sites: -Panel of anglers and private marina samples
 - Shore Random sample of all sites weighted by expected fishing pressure.

Additional CA Methods to be Explored 2004-2005

- License Ticket Book Subsample Front license in each 20 license book as license frame subsample for effort sampling frame
- **ALDS** Angler License Directory Survey Complete angler electronic license directory for effort sample frame



Pacific States Marine Recreational Fisheries Monitoring

A project of the Pacific States Marine Fisheries Commission



DATA - Databases, queries, catch samples and estimates



SURVEYS - Marine angler surveys provide the data



MEMBERS - Agencies who collect the data



OPERATIONS - Data management area (password required)



COMMITTEES - People who cooridnate the data



DETAILS - More about RecFIN


News Samplers

Library

Related Publications

More about RecFIN

Send questions or comments to: Wade H. Van Buskirk <wade@psmfc.org>



Marine Recreational Fisheries Data

Access

The Marine Recreational Fisheries Statistical Survey (MRFSS) is the base for our database.

- There are about 4,000 records in each year of catch estimates.
- There are about 60,000 fish in each year of sample data.

Pacific Coast Data Queries

Summarize Marine Recreational Estimates NEW! Added user defined species groups.



Download Estimate Files



Summarize Marine Recreational Sample Data



Download Sample Data Files



Bag Frequency Analysis № Added user defined species groups.



Length Frequency Analysis